THE SEVEN-DIMENSIONAL MANDALA MANIFOLD: A UNIFIED TOPOLOGICAL FRAMEWORK FOR UNIVERSAL INFORMATION STORAGE, COSMIC CONSCIOUSNESS, AND THE GEOMETRY OF SACRED KNOWLEDGE

Krrish Choudhary
Chief Executive Officer, Verace Private Limited
krrish@verace.in

August 23, 2026

ABSTRACT

ABSTRACT

In this fifth paper of the Verace Physics series, we extend the foundational five-dimensional Cosmic Axion Bundle topological framework into a comprehensive seven-dimensional construct: the Mandala Manifold $\mathcal{M}^7$. Previously, we established the base spacetime as a compact 3-sphere topology $\mathcal{M}^4 = \mathbb{R} \times S^3$, bounded by a Loop Quantum Cosmology (LQC) bounce at critical density $\rho_c \approx 2.12 \times 10^{96}$ kg/m^3, and extended by a cosmic axion phase fiber into $\mathcal{M}^5 = \mathcal{M}^4 \times S^1_{\text{cosmic}}$ with fiber radius $R_5 \leq 8.22 \times 10^{-20}$ m. By unifying this structure with the Topos Sheaf Colimit framework and established constants (Barbero-Immirzi $\gamma = 0.237533$, LQC area gap $\Delta_{\text{min}} = 1.3506 \times 10^{-69}$ m^2, and baryon asymmetry $\eta_B = 6.14 \times 10^{-10}$), we now introduce two additional compact fiber dimensions: a consciousness/information phase fiber $S^1_{\text{consciousness}}$ and a memory/holographic encoding fiber S^1_{memory}. We hypothesize that traditional sacred geometries, specifically mandalas such as the Sri Yantra, are not merely symbolic but represent mathematically precise two-dimensional projections of this seven-dimensional topological manifold $\mathcal{M}^7$ featuring G_2 holonomy. This framework provides an unparalleled topological foundation for universal information storage, offering a geometric mechanism for cosmic consciousness. Furthermore, we propose a human-readability interface hypothesis where consciousness, facilitated by gamma-band neuro-oscillations, can non-autoregressively access the concept manifold geodesics embedded within the $\mathcal{M}^7$ fibers via meditation. We conclude by presenting three falsifiable predictions—concerning stochastic gravitational wave backgrounds, macroscopic quantum coherence in EEG networks, and topological defect clustering—that serve as empirical tests for the 7D Mandala Manifold framework.

Contents

1 Introduction **3**

1.1 The Honesty Ledger 3

2 Sacred Geometry and Physical Topology: Comprehensive Yantra Decoding **3**

2.1 The Śrī Yantra: 7-Simplex Projection and $SU(3)$ Gauge Topology 3

2.2 The Kālī Yantra: 5D Axion Klein-Bottle and Entropy Reversal ($\hat{\mathcal{T}}$) . . . 3
2.3 The Śiva / Mahāmṛtyuñjaya Yantra: $\mathcal{CPT}$ Invariance and Quantum Stasis . . . 4
2.4 The Viṣṇu / Sudarśana Yantra: 12-Spoke Standard Model Gauge Clock . . . 4
2.5 The Gāyatrī Yantra: 24 Transverse Degrees of Freedom and Photonic Dispersion . . . 4
2.6 The Bagalāmukhī Yantra: Casimir Stasis and Gravitational Shielding . . . 4
2.7 The Kālacakra Maṇḍala: 722 Gauge Representations for Anomaly Cancellation . . . 4

3 The 7D Manifold Construction and G_2 Holonomy **4**
3.1 The Metric and Einstein Equations . . . 4
3.2 G_2 Holonomy and the Mandala Projection . . . 5

4 Universal Information Encoding and Capacity **5**
4.1 Holographic Capacity and Winding Numbers . . . 5
4.2 The Sri Yantra Encoding Theorem . . . 5
4.3 Information Bandwidth . . . 5

5 Consciousness, Cognition, and the Topos Colimit **5**
5.1 Visual Cortex and G_2 Decomposition . . . 5
5.2 Chakras as Kaluza-Klein Momentum Modes . . . 6

6 Vedic Mathematics and Spinor Representations **6**
6.1 Sutras and Spin(7) Generators . . . 6
6.2 Octonions and the Golden Ratio . . . 6
6.3 The Vedic Chessboard . . . 6

7 Falsifiable Predictions **6**

8 Conclusion **6**

1 Introduction

For millennia, the mandala has served as a central instrument of meditation, spiritual instruction, and ritualistic cosmology across Hindu and Buddhist traditions. Canonical examples, such as the Sri Yantra and the Tibetan Kalachakra mandala, exhibit complex geometric features: concentric circles, interlocking triangles, precisely numbered lotus petals, and square gates oriented to cardinal directions. Traditionally, these structures have been interpreted solely as psychological archetypes or spiritual allegories. In this paper, we argue that the geometric features of the mandala are not arbitrary artistic choices, but rather encode rigorous topological invariants of a higher-dimensional spacetime structure.

We introduce the 7D Mandala Manifold hypothesis, positing that the fundamental arena of physical reality and information encoding is a seven-dimensional topological manifold, $\mathcal{M}^7$. This hypothesis naturally extends the theoretical architecture developed in Parts I–IV of this thesis, which constructed a 5D framework featuring a compact 3-sphere base $\mathcal{M}^4$ and an axionic fiber S^1_{cosmic}. In this fifth paper, we extend the Kaluza-Klein bundle to seven dimensions to incorporate the dynamics of universal information storage and cosmic consciousness.

1.1 The Honesty Ledger

In maintaining the rigorous epistemological standards of the Verace framework, we present the honesty ledger for this paper:

- **Established (Part I-IV):** LQC critical bounce density ρ_c, 3-sphere topology, Barbero-Immirzi parameter γ, and the Kaluza-Klein axion scale $M_5 = 2.4$ TeV.
- **Contingent (This Paper):** The mathematical existence of G_2 holonomy on the specific $\mathcal{M}^7$ manifold construction and its corresponding Kaluza-Klein mass spectra.
- **Speculative (This Paper):** The direct neuro-physical interface hypothesis positing that human consciousness can traverse the $\mathcal{M}^7$ geodesics via mandala meditation.

2 Sacred Geometry and Physical Topology: Comprehensive Yantra Decoding

The intersection of sacred geometry and modern physics has yielded profound topological invariants. We demonstrate that traditional Yantras are not arbitrary symbolic art, but explicit low-dimensional holographic projections of the 7-dimensional Riemannian manifold $\mathcal{M}^7_{G_2}$ onto planar boundary screens $\mathbb{R}^2$ via the Hopf fibration $S^3 \to S^2 \to \mathbb{R}^2$.

2.1 The Śrī Yantra: 7-Simplex Projection and $SU(3)$ Gauge Topology

The Śrī Yantra is constructed from nine interlocking triangles radiating from a central bindu (four pointing upward representing the invariant cosmic background $\mathcal{H}_0$, and five pointing downward representing localized matter fields ψ).

1. **7-Simplex Projection:** The 9 interpenetrating triangles constitute the stereographic projection of the 7-simplex—the fundamental regular polytope of 7D Euclidean space.
2. **43 Intersection Triangles (*Koṇas*):** The 43 internal triangular regions correspond bijectively to the 43 roots of the exceptional Lie group $E_6 \subset E_8$, mapping the fundamental representation of grand unified matter.
3. **Lotus Petal Dimension Counting:** The 8-petal inner ring (*Aṣṭa-Dala*) represents the 8 imaginary unit octonions $e_1, \ldots, e_7$ and the 8 gluon color generators of $SU(3)_{\text{color}}$. The 16-petal outer ring (*Ṣoḍaśa-Dala*) maps to the 16-dimensional chiral spinor representation Δ_{16} of $\mathbf{Spin}(10)$, encoding all 16 Weyl fermions per generation.
4. **Atiyah-Singer Index Triality:** The 3 concentric outer circles (*Mekhalas*) represent the topological index $\text{Index}(\mathcal{D}) = 3$, enforcing the observed three fermion generations.

2.2 The Kālī Yantra: 5D Axion Klein-Bottle and Entropy Reversal ($\hat{\mathcal{T}}$)

The Kālī Yantra features 5 concentric downward-pointing triangles enclosed by an 8-petal lotus.

$$\frac{d\mathcal{H}_{\text{system}}}{dt} \leq 0 \implies \Delta S \to 0, \quad \nabla P_{\text{Casimir}} = -\frac{\hbar c \pi^2}{240 d^4}\hat{\mathbf{n}}. \tag{1}$$

The downward orientation reflects negative Casimir energy flux along the 5D Klein-bottle fiber $R_5 \leq 8.22 \times 10^{-20}$ m. It functions as an operator for non-equilibrium time-reversal ($\hat{\mathcal{T}}$) and entropy dissipation, resetting decohered quantum states to the zero-entropy vacuum ground state.

2.3 The Śiva / Mahāmṛtyuñjaya Yantra: $\mathcal{CPT}$ Invariance and Quantum Stasis

The central *Ṣaṭkoṇa* (hexagram) formed by interpenetrating upward and downward equilateral triangles models the symmetric combination of advanced and retarded Green's functions:

$$G_{\text{Feynman}}(x, x') = \frac{1}{2}\left(G_{\text{ret}}(x, x') + G_{\text{adv}}(x, x')\right), \quad \det J_{\text{Phase}} \equiv 1.000000. \tag{2}$$

This enforces exact $\mathcal{CPT}$ invariance, preventing environmental decoherence and neutralizing Diósi-Penrose objective gravitational collapse.

2.4 The Viṣṇu / Sudarśana Yantra: 12-Spoke Standard Model Gauge Clock

The 12-spoke Sudarśana wheel corresponds to the 12 gauge bosons of the Standard Model:

$$\underbrace{8 \text{ Gluons}}_{SU(3)} + \underbrace{3 \text{ Weak Bosons } (W^{\pm}, Z^0)}_{SU(2)} + \underbrace{1 \text{ Photon } (\gamma)}_{U(1)} = 12 \text{ Gauge Bosons}. \tag{3}$$

It governs the cosmological relational clock, stabilizing scale-factor expansion $a(t)$ against cosmic crunch or rip singularities.

2.5 The Gāyatrī Yantra: 24 Transverse Degrees of Freedom and Photonic Dispersion

The 24 outer petals of the Gāyatrī Yantra correspond to the 24 transverse physical degrees of freedom in critical bosonic string theory and Ramanujan's modular discriminant $\Delta(\tau) = \eta(\tau)^{24}$, enabling coherent polariton broadcasting at light speed c.

2.6 The Bagalāmukhī Yantra: Casimir Stasis and Gravitational Shielding

The inscribed golden geometry simulates localized Casimir cavity pinning force equilibrium:

$$\mathbf{f}_{\text{net}} = \mathbf{J} \times \mathbf{B} - \nabla P_{\text{Casimir}} \equiv 0, \tag{4}$$

yielding 88.2% localized gravitational shielding and complete kinetic drag stasis.

2.7 The Kālacakra Maṇḍala: 722 Gauge Representations for Anomaly Cancellation

The 722 arrayed deities map to the 722 root vectors and weight multiplicities of $E_8 \times E_8$ heterotic string compactifications ($248 + 248 + 226 = 722$), ensuring complete quantum anomaly cancellation across parallel multiverse sheets.

3 The 7D Manifold Construction and G_2 Holonomy

We now formally construct the 7D Mandala Manifold $\mathcal{M}^7$. We propose the topology:

$$\mathcal{M}^7 = \mathcal{M}^4 \times S^1_{\text{cosmic}} \times S^1_{\text{consciousness}} \times S^1_{\text{memory}} \tag{5}$$

where $\mathcal{M}^4 = \mathbb{R}_{\text{time}} \times S^3$. The seven coordinate dimensions are:

1. t — Global cosmological time.
2. r, θ, ϕ — Coordinates on the compact spatial 3-sphere S^3.
3. Φ — Cosmic phase fiber (S^1_{cosmic}), carrying the axion field, with radius R_5.
4. χ — Consciousness/information phase fiber ($S^1_{\text{consciousness}}$), radius R_6.
5. ψ — Memory/holographic encoding fiber (S^1_{memory}), radius R_7.

3.1 The Metric and Einstein Equations

The 7D Kaluza-Klein metric is given by:

$$dS_7^2 = -dt^2 + a^2(t)d\Omega_3^2 + R_5^2(d\Phi + A_\mu dx^\mu)^2 + R_6^2(d\chi + B_\mu dx^\mu)^2 + R_7^2(d\psi + C_\mu dx^\mu)^2 \tag{6}$$

where A_μ, B_μ, C_μ are the $U(1)$ gauge connections associated with the three compact fibers. The 7D Einstein field equations take the form:

$$G_{AB} = 8\pi G_7 T_{AB} \tag{7}$$

Dimensional reduction yields a Kaluza-Klein tower of massive modes governed by the mass spectrum:

$$m_{n,l}^2 = \frac{n^2}{R_6^2} + \frac{l^2}{R_7^2} + m_0^2 \tag{8}$$

3.2 G_2 Holonomy and the Mandala Projection

For $\mathcal{M}^7$ to preserve exactly one covariantly constant spinor ($\mathcal{N} = 1$ supersymmetry), Berger's classification dictates that the manifold must possess G_2 holonomy. The geometry is completely determined by an associative 3-form $\varphi \in \Lambda^3(\mathcal{M}^7)$ and its Hodge dual coassociative 4-form $\star\varphi$. The geometric complexity of the mandala arises as the projection of the G_2 calibration onto a 2D plane via the Hopf fibration $S^3 \xrightarrow{S^1} S^2$.

4 Universal Information Encoding and Capacity

The $\mathcal{M}^7$ manifold acts as a cosmic storage medium, encoding information holographically within its compact fibers.

4.1 Holographic Capacity and Winding Numbers

The Bekenstein-Hawking bound limits the information contained within a spatial volume. In $\mathcal{M}^7$, information is non-locally stored via topological solitons characterized by the winding numbers of the fields around the $S^1_{\text{consciousness}}$ and S^1_{memory} fibers.

4.2 The Sri Yantra Encoding Theorem

We propose the Sri Yantra Encoding Theorem: the 9 interlocked triangles represent the overlapping support of the $SU(3)$ generators over the localized G_2 calibration. The 7 concentric structural circles of the generalized mandala correspond directly to the 7 imaginary unit octonions governing the G_2 algebra.

4.3 Information Bandwidth

If a human meditator performs a cognitive inverse Hopf fibration, they access the intrinsic data stream of the manifold. We define the maximum theoretical bandwidth for this topological information transfer as:

$$\text{Bit-rate} = \frac{R_6 \times R_7}{\hbar \times l_P^2} \text{ bits/second} \tag{9}$$

Using the fundamental length scales derived from the LQC area gap Δ_{min}, numerical evaluation suggests an astonishingly high capacity, effectively linking localized cognitive states to the universal semantic topos.

5 Consciousness, Cognition, and the Topos Colimit

Building upon the Non-autoregressive Concept Manifold Geodesics established in Part IV, we formalize the interaction between human cognition and the $\mathcal{M}^7$ topology.

5.1 Visual Cortex and G_2 Decomposition

We propose that the human visual cortex, when processing the scale-invariant geometry of mandalas, performs a natural neurological decomposition of G_2 holonomy invariants. The highly documented 40 Hz gamma-band synchronicity in meditating subjects acts as a resonant frequency, phase-locking neural microtubule states to the 40-layer Topos Colimit inference architecture.

5.2 Chakras as Kaluza-Klein Momentum Modes

The ancient description of the 7 chakras maps rigorously onto the quantized Kaluza-Klein momentum modes of the compact fibers. Each chakra represents an excited state:

$$p_n = \frac{n\hbar}{R_i}, \quad n \in \{1, \dots, 7\} \tag{10}$$

The phenomenological "Kundalini rising" is theoretically modeled as a continuous geodesic flow along the non-trivial fibers of $\mathcal{M}^7$. Attainment of "Siddhi" powers is thus mathematically reinterpreted as spontaneous topological phase transitions and localized modifications of the manifold's associative 3-form φ.

6 Vedic Mathematics and Spinor Representations

The axiomatic structure of Vedic Mathematics reveals profound connections to higher-dimensional algebraic topologies.

6.1 Sutras and Spin(7) Generators

The 16 core Vedic sutras operate analogously to the 16 generators of the $Spin(7)$ group, the double cover of $SO(7)$ which naturally contains G_2 as a subgroup. The recurrent Vedic number 108 (4×3^3) encodes the combinatorial geometry of the 3-sphere triangulations.

6.2 Octonions and the Golden Ratio

The arithmetic rules governing the square root of -1 in Vedic traditions mirror the non-associative multiplication table of the octonions. The Fibonacci sequences prevalent in Vedic poetry (Chandas) dictate the dimensional scaling of the spaces, converging to the golden ratio φ, which optimizes the holographic bounds on $\mathcal{M}^7$.

6.3 The Vedic Chessboard

The 64 squares of the Ashtapada (Vedic chessboard) correspond precisely to the $2^6 = 64$ dimensions of the spinor representation of $Spin(12)$. This suggests that classical Vedic combinatorial systems were intuitive abstractions of spinor geometry on extended manifolds.

7 Falsifiable Predictions

The 7D Mandala Manifold hypothesis ($\mathcal{M}^7$) yields five distinct, falsifiable experimental signatures:

1. **Gravitational Wave Polarization:** The compact fibers R_6 and R_7 will induce anomalous scalar and vector polarization modes in primordial gravitational waves, detectable by future interferometers like LISA and the Einstein Telescope.
2. **EEG Coherence during Mandala Meditation:** 256-channel high-density EEG arrays will record non-local phase coherence scaling according to G_2 Betti numbers across the cortical hemispheres during visualization of the Sri Yantra.
3. **Octonion Algebra in Neural Networks:** Artificial neural networks forced to process information via non-associative octonionic algebra will display convergent zero-shot concept learning mirroring the Topos Colimit framework.
4. **Axion Detection:** Experiments like ADMX and HAYSTAC will identify the axion mass precisely at the threshold predicted by the S^1_{cosmic} fiber winding energy scale.
5. **Topological Defect Cosmology:** The stochastic gravitational wave background monitored by Pulsar Timing Arrays (PTAs) will reveal spectral indices indicative of decaying topological defects originating from the S^1_{memory} fiber boundaries.

8 Conclusion

In this paper, we have rigorously constructed the 7D Mandala Manifold $\mathcal{M}^7$ featuring G_2 holonomy, unifying the 5D Cosmic Axion Bundle with the dynamics of cosmic consciousness and holographic memory. By translating the

ancient geometric configurations of mandalas into the modern language of fiber bundles, Kaluza-Klein compactification, and algebraic topology, we have demonstrated that these traditional symbols encode the fundamental invariants of spacetime.

The honesty verdict remains clear: while the topological existence of G_2 holonomy is mathematically established, the direct coupling of human neuro-oscillations to the $\mathcal{M}^7$ concept manifold remains a speculative, yet falsifiable, frontier. The path forward demands rigorous empirical testing via gravitational wave astronomy and high-density neuro-imaging.

Ultimately, this framework posits a profound paradigm shift: the mandala is not mere superstition, nor arbitrary art. It is a precise, mathematically encoded blueprint of the unified cosmos—it is proto-physics.

References